

Attachment B – Detailed Equipment Specifications SWC242

The following detailed equipment specifications are to be used by Manufacturer/Dealers to provide sample pricing in completion of **Worksheet 2 of Attachment C of the ITB that is to be submitted with their bid response.**

Specifications 1: Utility Terrain Vehicle (UTV)

Item	<u>Minimum Requirement</u>
Drive train	4 X 4
Engine	4-Cycle Gas,
Horsepower	20
Displacement	475 cc
Transmission	Automatic
Fuel Capacity	5 gal.
Wheelbase	75 in.
Payload Capacity	1400 lb.
Towing Capacity	1200 lb. or greater
Hitch Type	Standard/Receiver
Tires	Manufacturers Standard
Warranty	Manufacturers Standard

Acceptable Brands/Models:

- John Deere HPX Series 4x4
- Toro Workman MDX
- Cub Cadet 4x4 20 hp Volunteer
- Or Equal

Specification 2: Walk Behind, Self Propelled Mowers

Item	<u>Minimum Requirement</u>
Grade	Commercial
Mower Deck	21 in.
Engine	1 Cyl. Air cooled
Displacement	175 cc
Ground Speed	Variable, Up to 3 mph
Cutting Height	1.25 to 4 in.
Wheels	8 in.
Drive System	Rear wheel drive
Discharge	Side or Rear
Warranty	Manufacturer Standard

Acceptable Brands/Models:

- John Deere WE80
- Snapper CP215520HV
- Toro 21" Commercial 3-in-1 Recycler
- Or Equal

Specification 3: Lawn Tractors

Item	Minimum Requirement
Grade	Commercial
Engine Horsepower	22 hp
Cutting Width	54 in.
Number of Blades	3
Cutting Height	1.5 – 4 in.
Anti-Scalp Wheels	Required
Transmission	Hydostatic / Automatic
PTO	Electronic
Hour Meter	Required
Cruise Control	Required
Tires	22" Rear 15" Front
Turning Radius	16 in.
Fuel Capacity	2.5 Gal.
Headlights	Required
Bagger Capable	Yes (Option)
Mulching Capable	Yes (Option)
Warranty	Manufacturer Standard

Acceptable Brands/Models:

- Husqvarna TS 354D
- MTD Cub Cadet XTI ST54
- John Deere X380
- Or Equal

Specification 4: Zero Turn Mowers

Item	Minimum Requirement
Grade	Commercial
Engine	2 Cylinder Air Cooled
Horsepower	20 hp
Fuel Type	Gasoline (Reg. Unleaded)
Fuel Capacity	7 Gal
Speed	0 to 10 mph
PTO	Electronic
Drive	Belt
Cutting Width	48' to 54"
Deck Construction	Fabricated or One-piece Stamped steel
Deck Thickness	7 gauge
Cutting Height Adjustments	1.5 to 5 in .25" increments
Number of Blades	3
Anti-Scalp Wheels	Required
ROPS	Required
Warranty	Manufacturer Standard

Acceptable Brands/Models:

- John Deere Z915E
- Cub Cadet Pro Z 154 S EFI
- Kubota Z121S-48
- Or Equal

Specification 5: Golf Maintenance Equipment

Item	Minimum Requirement
Equipment Type	Reel Mower
Engine	3 cylinder diesel
Horsepower	24 hp
Cooling	Liquid
Fuel Tank Capacity	12 gal
Hydraulic Oil Capacity	8.0 gal
Ground Speed	0-10 mph
Width of Cut	100 in
Steering	Rear Wheel Power Steering
Gauges	Manufacturer Standard
ROPS	Required
Warranty	Manufacturer Standard

Acceptable Brands/Models:

- Toro Reelmaster 5010
- John Deere 7500 E-Cut Hybrid
- Jacobsen LF 510
- Or Equal

Specification 6: Hand Held Tools and Equipment

Item	<u>Minimum Requirement</u>
Grade/Type	Commercial Chain Saw
Cylinder Displacement	50 cc
Weight (min-max)	10 lb to 12 lb
Power Output	3.5 hp
Bar length (min-max)	13" to 20 "
Chain Speed at max power	60.7 ft/s

Acceptable Brands/Models:

- Husqvarna 545
- Stihl MS 261 C-M
- Or Equal

Specification 7: Sub-Compact Tractors

Item	<u>Minimum Requirement</u>
Engine	3 Cylinder Diesel
Horsepower	33
PTO Horsepower	25
Rated Speed	2700 rpm
Transmission	Two Range Hydro or 12 x 12
Drivetrain	Four Wheel Drive
Steering	Power
PTO Type	Independent/Live
PTO Options	Rear
Rear Hitch	Category I
Lift Capacity	1200 lb.
Fuel Tank Capacity	6 gal.
ROPS	Required
Optional Equipment	As Required

Acceptable Brands/Models:

- John Deere 3038E
- New Holland Boomer 35
- Or Equal

Specification 8: Utility Tractors

Item	<u>Minimum Requirement</u>
Engine	4 Cylinder Diesel
Horsepower	90- 135
PTO Horsepower	86
Rated Speed	2200 rpm
Transmission	12 x 12
Drivetrain	Four Wheel Drive
Steering	Power
PTO Type	Independent/Live
PTO Options	Rear
Rear Hitch	Category 2
Lift Capacity	2400 lb.
Fuel Tank Capacity	27 gal.
ROPS	Required
Optional Equipment	As Required

Acceptable Brands/Models:

- John Deere 6 Series
- New Holland TS4.90
- Kubota M5-111
- Or Equal